

L Number	Hits	Search Text	DB	Time stamp
1	19	(((((shaft near4 (weight or mass))) with per) with unit) with length) and golf	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:06
2	2	UM33 and golf	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:07
3	5	(Toho near4 Tenax) and golf	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:12
4	72	((((tensile with elastic\$3) with strength) and shaft) and golf	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 17:49
5	21	(((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:14
6	25	(((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:14
7	17	(((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and ((((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:41
8	12	((("3984103") or ("4498672") or ("4645207") or ("4840380") or ("5121918") or ("5344140") or ("6045456") or ("6348010") or ("6533679") or ("6494790") or ("6685577") or ("20010014628")).PN.	USPAT; US-PGPUB	2004/05/04 10:41
9	4	(((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and ((((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 13:48
10	8	(((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and ((((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and ((((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 13:56

11	31	((Toho near4 Tenax) and golf) or (UM33 and golf) or (((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) or (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)))) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 13:56
12	43	(((tensile with elastic\$3) with strength) and shaft) and golf) not ((Toho near4 Tenax) and golf) or (UM33 and golf) or (((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) or (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)))) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 14:05
13	1	("5156396").PN.	USPAT; US-PGPUB	2004/05/04 14:05
14	383	((tensile with strength) and shaft) and golf	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 17:49
15	83	(((tensile with strength) and shaft) and golf) and MPa	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:32

16	74	<p>((Toho near4 Tenax) and golf) or (UM33 and golf) or (((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) or (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)))) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)))) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)))))) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) not (((Toho near4 Tenax) and golf) or (UM33 and golf) or (((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) or (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)))) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)) or ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) not ((((((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((((tensile with elastic\$3) with strength) and shaft) and golf) and MPa))))))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:32
----	----	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------	------------------

17	58	<p>(((tensile with strength) and shaft) and golf) and MPa) not (((Toho near4 Tenax) and golf) or (UM33 and golf) or (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) or (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) or (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)) or (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) not (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa))) or (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) not (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)) or (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) not (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa))) or (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa))))) or (((tensile with elastic\$3) with strength) and shaft) and golf) not (((Toho near4 Tenax) and golf) or (UM33 and golf) or (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) or (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) or (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)) or (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) not (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa))) or (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) not (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)) or (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) not (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa))) or (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa) not (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)) or (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) not (((tensile with elastic\$3) with strength) and shaft) and golf) and GPa) and (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa))) or (((tensile with elastic\$3) with strength) and shaft) and golf) and MPa)))))</p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 17:28
----	----	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------	------------------

[illegible]

[illegible]

[illegible]

21	104	((((tensile with elastic\$3) with strength) and shaft) and golf	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 17:49
22	553	((tensile with strength) and shaft) and golf	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 17:49
23	553	(((tensile with elastic\$3) with strength) and shaft) and golf) or (((tensile with strength) and shaft) and golf)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 17:49

[illegible]

25	180	(473/316).CCLS.	USPAT; US-PGPUB	2004/05/04 17:54
26	30	(473/317).CCLS.	USPAT; US-PGPUB	2004/05/04 17:54
27	135	(473/318).CCLS.	USPAT; US-PGPUB	2004/05/04 17:55
28	156	(473/319).CCLS.	USPAT; US-PGPUB	2004/05/04 17:55
29	61	(473/320).CCLS.	USPAT; US-PGPUB	2004/05/04 17:55
30	41	(473/321).CCLS.	USPAT; US-PGPUB	2004/05/04 17:55
31	34	(473/322).CCLS.	USPAT; US-PGPUB	2004/05/04 17:55
32	74	(473/323).CCLS.	USPAT; US-PGPUB	2004/05/04 17:55
33	595	((473/316).CCLS.) or ((473/317).CCLS.) or ((473/318).CCLS.) or ((473/319).CCLS.) or ((473/320).CCLS.) or ((473/321).CCLS.) or ((473/322).CCLS.) or ((473/323).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 17:56
34	284	((473/316).CCLS.) or ((473/317).CCLS.) or ((473/318).CCLS.) or ((473/319).CCLS.) or ((473/320).CCLS.) or ((473/321).CCLS.) or ((473/322).CCLS.) or ((473/323).CCLS.)) and (fiber or filament)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 17:56
35	91	((473/316).CCLS.) or ((473/317).CCLS.) or ((473/318).CCLS.) or ((473/319).CCLS.) or ((473/320).CCLS.) or ((473/321).CCLS.) or ((473/322).CCLS.) or ((473/323).CCLS.)) and prepreg	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 17:57
36	221	((473/316).CCLS.) or ((473/317).CCLS.) or ((473/318).CCLS.) or ((473/319).CCLS.) or ((473/320).CCLS.) or ((473/321).CCLS.) or ((473/322).CCLS.) or ((473/323).CCLS.)) and carbon	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 17:57
37	301	((473/316).CCLS.) or ((473/317).CCLS.) or ((473/318).CCLS.) or ((473/319).CCLS.) or ((473/320).CCLS.) or ((473/321).CCLS.) or ((473/322).CCLS.) or ((473/323).CCLS.)) and (fiber or filament)) or (((473/316).CCLS.) or ((473/317).CCLS.) or ((473/318).CCLS.) or ((473/319).CCLS.) or ((473/320).CCLS.) or ((473/321).CCLS.) or ((473/322).CCLS.) or ((473/323).CCLS.)) and prépreg) or (((473/316).CCLS.) or ((473/317).CCLS.) or ((473/318).CCLS.) or ((473/319).CCLS.) or ((473/320).CCLS.) or ((473/321).CCLS.) or ((473/322).CCLS.) or ((473/323).CCLS.)) and carbon)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 17:57

38	0	<p> ((((473/316).CCLS.) or ((473/317).CCLS.) or ((473/318).CCLS.) or ((473/319).CCLS.) or ((473/320).CCLS.) or ((473/321).CCLS.) or ((473/322).CCLS.) or ((473/323).CCLS.)) and (fiber or filament)) or (((473/316).CCLS.) or ((473/317).CCLS.) or ((473/318).CCLS.) or ((473/319).CCLS.) or ((473/320).CCLS.) or ((473/321).CCLS.) or ((473/322).CCLS.) or ((473/323).CCLS.)) and prepreg) or ((((473/316).CCLS.) or ((473/317).CCLS.) or ((473/318).CCLS.) or ((473/319).CCLS.) or ((473/320).CCLS.) or ((473/321).CCLS.) or ((473/322).CCLS.) or ((473/323).CCLS.)) and carbon)) not (((473/316).CCLS.) or ((473/317).CCLS.) or ((473/318).CCLS.) or ((473/319).CCLS.) or ((473/320).CCLS.) or ((473/321).CCLS.) or ((473/322).CCLS.) or ((473/323).CCLS.)) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 17:58
39	262	<p> ((((473/316).CCLS.) or ((473/317).CCLS.) or ((473/318).CCLS.) or ((473/319).CCLS.) or ((473/320).CCLS.) or ((473/321).CCLS.) or ((473/322).CCLS.) or ((473/323).CCLS.)) and (fiber or filament)) or (((473/316).CCLS.) or ((473/317).CCLS.) or ((473/318).CCLS.) or ((473/319).CCLS.) or ((473/320).CCLS.) or ((473/321).CCLS.) or ((473/322).CCLS.) or ((473/323).CCLS.)) and prepreg) or ((((473/316).CCLS.) or ((473/317).CCLS.) or ((473/318).CCLS.) or ((473/319).CCLS.) or ((473/320).CCLS.) or ((473/321).CCLS.) or ((473/322).CCLS.) or ((473/323).CCLS.)) and carbon)) not ((((tensile with elastic\$3) with strength) and shaft) and golf) or (((tensile with strength) and shaft) and golf)) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 17:58